



SHOP COPY

REVISIONS		
REV	DESCRIPTION	DATE
A	LENGTHENED RUBBER CUSHION FROM 6.283	3-7-07
		APPROVED

PART #	QTY	DESCRIPTION
A	1	BASE
B	1	SADLE
C	2	SUPPORT
D	1	RUBBER CUSHION



RELEASED FOR PROD.
DATE: 3/30/07 INT: BL

PART NO. "TM0038P004"
CHARACTER SIZE .079 in. L 7" TM Ø 38 P Ø 4 RB"

NOTES


- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

DRAWN BY: PERRITT		REV	
APPROVED		DATE	
HEAT TREAT		3-7-07	
FINISH SPEC		APPROVED	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°		DWG NO.	
TOLERANCES ON: UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		TM0038P004	
USED ON MODEL VOIR NOTA PL.0		SCALE	
		1:50	
		DATE	
		10-2-06	
		SHEET	
		1 of 4	

PART #	QTY	DESCRIPTION	REV
D	1	RUBBER CUSHION 1/8 x 1-3/16 x 6-5/16 LONG	A

SHOP COPY

RELEASED FOR PROD.
DATE: 10/13/06 INT: *del*
02/23/07 *SDS*




NOTES

- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

DRAWN BY: PERRITT		REV		DATE		APPROVED	
HEAT TREAT		REV		DATE		APPROVED	
FINISH		REV		DATE		APPROVED	
SPEC		REV		DATE		APPROVED	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		TITLE		DWG NO.		REV	
TOLERANCES ON DECIMALS		A BRACKET BASE		TM0038P004-A		REV	
.XXX \pm .005							
.XX \pm .01							
.X \pm .1							
FRACTIONS \pm 1/32							
ANGLES \pm 5°							
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING							
USED ON MODEL		SCALE		DATE		SHEET	
VOIR NOTA PL.0		NTS		10-2-06		2 of 4	
PART #		QTY		DESCRIPTION			
A		1		1018 FLAT BAR 3/8 x 1-1/4 x 6-5/8 LONG			


REVISIONS		
REV	DESCRIPTION	DATE



RELEASED FOR PROD.
DATE: 10/9/06 INT: DW
02/23/07 *[Signature]*

SHOP COPY

R69.0 [R2.717] R64.0 [R2.520]




NOTES

1. FIRST DIMENSION IS METRIC, SECOND IN BRACKETS IS INCHES.
2. NORMALIZE BEFORE MACHINING.

DRAWN BY: PERRITT		RB RED BARN MACHINE	
APPROVED		TITLE	
HEAT TREAT		B BRACKET SADDLE	
FINISH SPEC		DWG NO. TM0038P004-B	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		SCALE NTS	
TOLERANCES ON:		DATE 10-2-06	
XXX ± .005		SHEET 3 of 4	
XX ± .01		REV	
X ± .1		FRACTIONS ± 1/32	
X ± .1		ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R			
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
USED ON MODEL	DESCRIPTION	PART #	QTY
VOIR NOTA PL.0	1018 DOM TUBING Ø5-1/2 OD x 25 WALL x 1'-5 1/16 LONG	B	1

REVISIONS		
REV	DESCRIPTION	DATE

RELEASED FOR PROD.
DATE: 10/9/07 INT: Dev
02/22/07 SVR



SHOP COPY

NOTES

- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

DRAWN BY: PERRITT		TITLE	
APPROVED		RED BARN MACHINE	
HEAT TREAT		C BRACKET SUPPORT	
FINISH SPEC		DWG NO.	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		TM0038P004-C	
TOLERANCES ON:		SCALE	SHEET
XXX ± .005		NTS	10-2-06
XX ± .01		DATE	4 of 4
X ± .1			
FRACTIONS ± 1/32			
ANGLES ± 5°			
UNLESS OTHERWISE SPECIFIED			
1. BREAK ALL SHARP EDGES			
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			

PART #	QTY	DESCRIPTION
C	2	1018 FLAT BAR 3/16 x 1-1/8 x 2-7/8 LONG